

Threaded Fittings

Made from extruded 6061-T6 lightweight aluminum alloy, Northline offers top quality Hard Anodized Threaded Fittings ranging from 3/4" to 6". The finished product is laser engraved with a clear understanding of the thread type and size produced. Swivel sizes ranging from 1 1/2 " to 3" are attached using ball bearings. Swivel sizes ranging from 4" to 6" are attached using roller bearings.



N35 Adapters – Double Female Swivel Adapters supplied with Rocker Lug. Made for adapting from male to female.

N36 Adapters – Double Threaded Male Adapters supplied with Rocker Lug. Made for adapting from female to male.



N37 Adapters – Female Rigid Thread to Male Thread with Rocker Lug.

N53 Adapters – Female Swivel Threaded Rocker Lug to Female Rigid Rocker Lug. Made for adapting male to female.



N54 Adapters – Female Swivel Threaded Long Handle or Rocker Lug to Male Thread.

N56 Adapters – Female Rigid Threaded Long Handle to Male Thread.



N57 Adapters – Double Female Swivel Adapters supplied with Long Handle. Made for adapting male hydrant or suction hose thread to female hose thread.

CAP – Two part Female Threaded Cap, with or without 12” coated aircraft cable. Available drilled and tapped 1/4” NPT. Also available with petcock at an additional charge. Supplied with Rocker Lug as standard. Long Handle available upon request.



PLUG – One piece Male Threaded Plug, with or without 12” coated aircraft cable.

for more information email cheryl@classafire.com

